

May 20, 2019

Bid Notice

< RFP No. KARI-2019-0210 >

Korea Aerospace Research Institute (KARI) invites sealed bid from eligible Bidders for Contract for the Procurement of High Frequency Acoustic Source WAS 5000 Amplifier Replacement & Maintenance Components for Satellite Test Acoustic Chamber.

The following is an outline of the requirements, so potential Bidders are requested to carefully review the following instructions and to submit their Proposals in accordance with the guidelines and requirements as contained in the Specification.

1. Main Scope

- Item: Procurement of Parabolic Flight Service for Droplet Combustion Experiment in Microgravity
- Service: For the details, please refer to the RFP.
- Contract Period: Within 6 months from the Effective Date of Contract.
- Estimated Budget: USD 140,000.00
- Method of Contract: a limited competitive bid

2. Qualification of Bidder

- Bidder shall be qualified under Article 12 (Requirement to Participate in Competitive Tender by Law) of the ENFORCEMENT DECREE OF THE ACT ON CONTRACTS TO WHICH THE STATE IS A PARTY.
- Bidders shall provide the proof of sales and installation records for high frequency acoustic source amplifier system for WAS 5000 or EPT 200 specified in the Specification.

3. Submission of Proposal

- Six (6) proposals, one (1) price proposal and bid bond shall be hand carried or sent via appropriate courier service to KARI personnel or his designee within the Bid Closing Date and Time.
- The main bid currency is USD but other currency could be accepted.
- On submission of proposal by Bidder's deputy, one (1) power of attorney and a copy of his identification are required to be presented.
- The proposal shall be made in English or Korean
- Bid closing Date and Time: May 31, 2019 15:00 Korean Local Time
- Opening of Bid and Declaration of Successful Bid: KARI will announce the opening date within seven (7) days after the evaluation of technical part.
- The Bid currency is USD (However, other currency can be allowed).

4. Bid Bond

- Bidder shall establish a bid bond in favor of KARI before the Bid Closing Date and Time. The total amount of the bid bond shall be at least five percent (5%) of total bid price and shall be valid for at least three (3) months after Bid Closing Date.
- The currency of bid bond is USD (However, other currency can be allowed).
- The Bid Bond shall be in the form of a surety bond issued by the Seoul Guarantee Insurance Company, in the form of an irrevocable standby letter of credit by first class international bank, cash or other means of guarantee acceptable to KARI. In case of cash, bank guarantee, or the irrevocable standby letter of credit, it shall be advised through "Woori Bank" (Daejeon Branch at 29 Munye-ro, Seo-gu, Daejeon, 35241 Korea, Tel:+82-42-488-9704, Ext.312). The bond shall be available by KARI's request on the Seoul Guarantee Insurance Company or by KARI's draft at sight drawn on the bank, accompanied by the statement of KARI stating that Bidder has refused to enter into a contract with the terms and conditions in the Request for Proposal as amended, if any, that Bidder has hindered the fair bidding by fraud or misrepresentation, or that Bidder has withdrawn its Proposal after the Bid Closing Date.
- All of the bid bonds will be released promptly at the time of contract award by KARI without interest.

5. Nullification of Bid

- This bidding may be nullified in accordance with Article 39(4) of ENFORCEMENT DECREE OF THE ACT ON CONTRACTS TO WHICH THE STATE IS A PARTY and Article 44 of ENFORCEMENT RULE OF THE ACT ON CONTRACTS TO WHICH THE STATE IS A PARTY.

6. Selection of Successful Bidder

- At first, Bidders who get score more than eighty (80) point in technical evaluation for one hundred (100) points will be selected as Qualified Bidders. Second, after technical evaluation, the Bidder who proposes the lowest price under the Estimated Price among the Qualified Bidders will be selected as Successful Bidder.
- For the price evaluation, the first basic exchange rate noticed by KEB Hana Bank on the price evaluation date will be applied for each currency, and a Successful Bidder will be selected by lowest bid price. In case of equal bid price, a Successful Bidder shall be determined by means of drawing lots.

7. Remarks

- The Bidder shall have a full understanding of all matters necessary for this Bidding including the RFP prior to making a bid and shall be responsible for any and all disadvantages arising from insufficient understanding of matters necessary for this Bidding.
- Bidder shall prepare the Proposal in truth. In case that any content of the Proposal is founded to be false later, KARI may terminate or cancel the Contract even after the Contract is concluded.
- All documents submitted in response to the RFP including the Proposal for this Bidding shall not be returned.
- All expenses incurred by Bidder in connection with its Proposal for this Bidding are for its own account and KARI will not disclose the evaluation result of Bidder's Proposal.
- If any Bidder is bankrupted or insolvent as of the date of this bid notice, such Bidder shall not be allowed to participate in this Bidding.
- Bidders are required to keep confidential any data and information acquired in the Contract award. If any Bidder violates it, such Bidder may assume civil and criminal liability, sanction for inappropriate business entity, and other disadvantages (such as penalty for security violation, subtraction of evaluation scores in future biddings, etc.).

8. Requirements

- For the detailed information of requirements and technical support, please refer to the RFP as attached.

9. Point of Contact for Bidding

Contractual matters	Technical matters
Procurement Team Korea Aerospace Research Institute 169-84 Gwahak-ro, Yuseong-gu, Daejeon, 34133, Korea Attn. : Mr. Sean KIM (Young-Taek KIM) Tel. : +82-42-860-2613, Fax : +82-42-860-2666 e-mail : kimyt@kari.re.kr	Space Environment Test Division Korea Aerospace Research Institute 169-84 Gwahak-ro, Yuseong-gu, Daejeon, 34133, Korea Attn. : Mr. Jong-Min IM Tel : +82-42-860-2562 e-mail : acoust@kari.re.kr

For further details, please refer to the Specification Document